

VÄDERSTAD fasteners

VÄDERSTAD GENUINE PARTS - ENGINEERED FOR PROFESSIONALS







Since the start in 1962 Väderstad has been building world leading agricultural machinery for the farmers of the world, constantly pushing the development when it comes to new innovations and methods for agriculture.

Väderstad fasteners are designed and adapted to your Väderstad machine, in a process where we have been uncompromising in our demands for functional fit and corrosion resistance.

This brochures will help you find the most popular items from our range of wear parts, together with the right combination of bolts and nut. Exactly sized and made from an extra rust proof treated material that can withstand stress, Väderstad fasteners ensure that your machine performs on top.

NOTE! The articles do not include bolt and nut. These must be ordered separately. Feel free to share your opinions or ask us for recommendations and advice.

Article	Article number	Bolt	Nut	Alt. long nut
NZ Aggressive				
Point Agrilla/20 pcs	302300-20	496569 x 20	51141000021 x 20	183039 x 20
Standard point 6mm/25pcs	400523-25	496569 x 25	51141000021 x 25	183039 x 25
Point Heavy Duty 8mm/20pcs	192213-20	496569 x 20	51141000021 x 20	183039 x 20
Point Goose foot 120mm	214000	496569 x 1	51141000021 x 1	183039 x1
Point Marathon NZA	207053	496569 x 1	51141000021 x 1	183039 x1
Point 15-25 Marathon	231775	496569 x 1	51141000021 x 1	183039 x1
NZ Extreme s/n 101-				
Point Heavy Duty 8mm/20pcs	192213-20	496569 x 20	51141000021 x 20	183039 x 20
Point Marathon NZA	207053	496569 x 1	51141000021 x 1	183039 x1
Point Goose foot 120mm	214000	496569 x 1	51141000021 x 1	183039 x1
Ferox s/n 101- (Tine 26x15 mm)				
Point W:160	247053	496569 x 2	51141000021 x 2	183039 x2
Point	208932	496569 x 2	51141000021 x 2	183039 x2

Good to know!

Collar nut – makes work easier

Quick and easy replacement of points thanks to locking collar nut. The nut is fixed against the socket which does not damage the paintwork.

Tip! Quick and easy replacement with cordless screwdriver.



Article	Article number	Bolt	Nut
TopDown s/n -1649			
Point TopDown 50x20	447152	152264 x 1, 152265 x 1	51171200011 x 2
Point Cultivator 80x12 TopDown	444898	152264 x 1, 152265 x 1	51171200011 x 2
Point Cultivator 120x12 TopDown	444897	152264 x 1, 152265 x 1	51171200011 x 2
Point 50mm Low Disturbance	496851	152264 x 1, 152265 x 1	51171200011 x 2
Point 50 mm Marathon	498384	152264 x 1, 152265 x 1	51171200011 x 2
Point 80 mm Marathon	498385	152264 x 1, 152265 x 1	51171200011 x 2
Point 340mm 23° working angle	242285	50061207000 x 2	51171200011 x 2
Point 340mm 8° working angle	242287	50061207000 x 2	51171200011 x 2
Kit wear plate “Marathon”	475311	50061207000 x 2	51171200011 x 2
TopDown s/n 1650-5619, s/n Opus 101-699			
Point W:50	155027	152264 x 2	51171200011 x 2
Point W:80	155028	152264 x 2	51171200011 x 2
Point W: 50/80	188623	152264 x 2	51171200011 x 2
Point W:80/120	233999	152264 x 2	51171200011 x 2
Point, 120mm	168264	152264 x 2	51171200011 x 2
Point, 210mm	172326	152264 x 2	51171200011 x 2
Point 50mm Marathon	498382	152264 x 2	51171200011 x 2
Point 80mm Marathon	498383	152264 x 2	51171200011 x 2
Point 50/80 Marathon	205006	152264 x 2	51171200011 x 2
Point BreakMix	240180	152264 x 2	51171200011 x 2
Point Deep Loosening	231773	231774 x 3	51171200011 x 3
Point 50mm Low Disturbance	485996	152265 x 1, 152263 x 1	51171200011 x 2
Point 340mm 23° working angle	242285	50061207000 x 2	51171200011 x 2
Point 340mm 8° working angle	242287	50061207000 x 2	51171200011 x 2
Kit wear plate “Marathon”	475311	50061207000 x 2	51171200011 x 2
TopDown s/n 1650-5619, Opus s/n 101-699			
Guide 50mm	483233	152265 x 1	51171200011 x 1
MixIn shin W: 50/80	234003	152265 x 1	51171200011 x 1
Guide 80mm	482278	152265 x 1	51171200011 x 1
MixIn shin W:80/120	234004	152265 x 1	51171200011 x 1
Guide RH 80mm	495534	152265 x 1	51171200011 x 1
Guide LH 80mm	492597	152265 x 1	51171200011 x 1
Guide RH, Out	151836	152265 x 1	51171200011 x 1
Guide LH, Out	151281	152265 x 1	51171200011 x 1

Article	Article number	Bolt	Nut
TopDown s/n 5620-, Opus s/n 700-			
Point W:50	155027	152265 x 2	51171200011 x 2
Point W:80	155028	152265 x 2	51171200011 x 2
Point W: 50/80	188623	152265 x 2	51171200011 x 2
Point W:80/120	233999	152265 x 2	51171200011 x 2
Point, 120mm	168264	152265 x 2	51171200011 x 2
Point, 210mm	172326	152265 x 2	51171200011 x 2
Point 50mm Marathon	498382	152265 x 2	51171200011 x 2
Point 80mm Marathon	498383	152265 x 2	51171200011 x 2
Point 50/80 Marathon	205006	152265 x 2	51171200011 x 2
Point BreakMix	240180	152265 x 2	51171200011 x 2
Point Deep Loosening	231773	231774 x 3	51171200011 x 3
Point 50mm Low Disturbance	485996	152265 x 1, 152263 x 1	51171200011 x 2
Point 340mm 23° working angle	242285	50061207000 x 2	51171200011 x 2
Point 340mm 8° working angle	242287	50061207000 x 2	51171200011 x 2
Kit wear plate “Marathon”	475311	50061207000 x 2	51171200011 x 2
TopDown s/n 5620-, Opus s/n 700-			
Guide 50mm	483233	152266 x 1	51171200011 x 1
MixIn shin W: 50/80	234003	152266 x 1	51171200011 x 1
Guide 80mm	482278	152266 x 1	51171200011 x 1
MixIn shin W:80/120	234004	152266 x 1	51171200011 x 1
Guide RH 80mm	495534	152266 x 1	51171200011 x 1
Guide LH 80mm	492597	152266 x 1	51171200011 x 1
Guide RH, Out	151836	152266 x 1	51171200011 x 1
Guide LH, Out	151281	152266 x 1	51171200011 x 1
Cultus s/n 10001-			
Point W:50	155027	152264 x 1	51171200011 x 1
Point W:80	155028	152264 x 1	51171200011 x 1
Point W: 50/80	188623	152264 x 1	51171200011 x 1
Point 50mm Marathon	498382	152264 x 1	51171200011 x 1
Point 80mm Marathon	498383	152264 x 1	51171200011 x 1
Point 50/80 Marathon	205006	152264 x 1	51171200011 x 1
Point BreakMix	240180	152264 x 1	51171200011 x 1
Point 50mm Low Disturbance	485996	152264 x 1, 152266 x 1	51171200011 x 1
Point 340mm 23° working angle	242285	50061207000 x 2	51171200011 x 2
Point 340mm 8° working angle	242287	50061207000 x 2	51171200011 x 2
Kit wear plate “Marathon”	475311	50061207000 x 2	51171200011 x 2

Article	Article number	Bolt	Nut
Cultus s/n 10001-			
Guide 80 mm MixIn	217601	152266 x 1	51171200011 x 1
Guide 50 mm MixIn	234028	152266 x 1	51171200011 x 1
Guide cultivator tine RH Outer	452958	152266 x 1	51171200011 x 1
Guide cultivator tone LH Outer	452959	152266 x 1	51171200011 x 1
Cultus HD s/n 14000-			
Point W:50	155027	152265 x 2	51171200011 x 2
Point W:80	155028	152265 x 2	51171200011 x 2
Point W: 50/80	188623	152265 x 2	51171200011 x 2
Point 50mm Marathon	498382	152265 x 2	51171200011 x 2
Point 80mm Marathon	498383	152265 x 2	51171200011 x 2
Point 50/80 Marathon	205006	152265 x 2	51171200011 x 2
Point BreakMix	240180	152265 x 2	51171200011 x 2
Point 50mm Low Disturbance	485996	152265 x 2	51171200011 x 2
Point 340mm 23° working angle	242285	152265 x 2	51171200011 x 2
Point 340mm 8° working angle	242287	152265 x 2	51171200011 x 2
Kit wear plate "Marathon"	475311	152265 x 2	51171200011 x 2
Cultus HD s/n 14000-			
Guide 80mm	482278	152266 x 1	51171200011 x 1
Guide 50mm	483233	152266 x 1	51171200011 x 1
Guide RH, Out	151836	152266 x 1	51171200011 x 1
Guide LH, Out	151281	152266 x 1	51171200011 x 1

Good to know!

Mounting made easy


Väderstad's QuickChange System completely relieves you from tools for mounting knife tools on CrossBoard. The blades are easy to adjust into different positions for desired aggressivity.



Article	Article number	Bolt	Nut
Swift s/n 101-			
Point W:50	155027	152263 x 1	51171200011 x 1
Point W:80	155028	152263 x 1	51171200011 x 1
Point W: 50/80	188623	152263 x 1	51171200011 x 1
Point 50mm Marathon	498382	152263 x 1	51171200011 x 1
Point 80mm Marathon	498383	152263 x 1	51171200011 x 1
Point 80 mm Marathon Edge	269626	152263 x 1	51171200011 x 1
Point 50/80 mm Marathon Edge	269630	152263 x 1	51171200011 x 1
Point Goose foot, 240mm	165038	152263 x 1	51171200011 x 1
Swift s/n 101-			
Guide 50mm	492603	152263 x 1	51171200011 x 1
Guide 80mm	481615	152263 x 1	51171200011 x 1
Guide RH 80mm	495534	152263 x 1	51171200011 x 1
Guide LH 80mm	492597	152263 x 1	51171200011 x 1
MixIn Shin W:50/80	234002	152263 x 1	51171200011 x 1
MixIn Shin W:80/120	240777	152263 x 1	51171200011 x 1

Good to know!

With our extensive range of full cut out points, there's something for all your needs. The GooseFoot point is designed to cut all weeds across the full width of the machine. For our larger Cultus, Opus and TopDown cultivators, we have wing shares that, together with a cultivator point, form the perfect combination for weed cutting and mixing. The wing share are also available as Marathon. All our points are design for full cutting and have the same profile to ensure maximum durability while providing the perfect cut.



Article	Article number	Bolt	Nut
Points Crossboard			
Point 45mm, straight	419998	50061203521 x 2	51011200021 x 2
Point 45mm, bended	419997	50061203521 x 2	51011200021 x 2
Point 100mm, straight	419996	50061203521 x 2	51011200021 x 2
Point 100mm, bended	419999	50061203521 x 2	51011200021 x 2
Point 120mm, bended Left	474619	50061203521 x 2	51011200021 x 2
Point 120mm, bended Right	474620	50061203521 x 2	51011200021 x 2
Point 150mm, straight	425586	50061203521 x 2	51011200021 x 2
Point 150mm, bended	423910	50061203521 x 2	51011200021 x 2
Point 150mm, straight side	425587	50061203521 x 2	51011200021 x 2
Point 150mm, bended knife mount	440603	50061203521 x 2	51011200021 x 2
Point 150mm, bended knife mount Left	442008	50061203521 x 2	51011200021 x 2
Point 150mm, bended knife mount Right	442009	50061203521 x 2	51011200021 x 2
Point 200mm, bended Left	440694	50061203521 x 2	51011200021 x 2
Point 200mm, bended Right	440695	50061203521 x 2	51011200021 x 2
Wear plate for roller scraper			
Wear plate Steel, wide (long)	450318	50061203021 x 1	51011200021 x 1
Wear plate Steel	450928	50061203021 x 1	51011200021 x 1
Wear plate Steel, extra wide	451345	50061203021 x 1	51011200021 x 1
Wear plate Steel, standard	451404	50061203021 x 1	51011200021 x 1
Wear plate Steel, wide	451762	50061203021 x 1	51011200021 x 1
Wear plate Steel, double Steel	199952	50061203021 x 1	51011200021 x 1
Wear plate rubber, standard	467951	50061203021 x 1	51011200021 x 1
Wear plate rubber CR	468660	50061203021 x 1	51011200021 x 1
Wear plate rubber CS	465826	50061203021 x 1	51011200021 x 1

Article	Article number	Bolt	Nut
Other items			
Point twisted left CK	201060	404826 x 2	51011200021 x 2
Point twisted right CK	201061	404826 x 2	51011200021 x 2
Point twisted 70mm LH Cultus	201387	401966 x 1, 404826 x 1	51011200021 x 2
Point twisted 70mm RH Cultus	201388	401966 x 1, 404826 x 1	51011200021 x 2
Wing share Cultus	201860	404826 x 1, 404827 x 1	51011200021 x 2
Point GooseFoot RD S/N -3039	202052	414557 x 1	51141000021 x 1
Point 65mm CS old	301192	401966 x 1, 404826 x 1	51011200021 x 2
Point 120mm CS old	301196	401966 x 1, 404826 x 1	51011200021 x 2
Point Vibroflex XT	304472	412971 x 2	413722 x 2
Point Marathon 18mm NZC	306090	415161 x 1	407303 x 1
Wheel scraper	307002	50061203021 x 1	51011200021 x 1
Point	400889	410545 x 2	51001000021 x 2
Point	408894	496569 x 1	407303 x 1
Marker Point	415227	50001201621 x 1	
Point Marathon 25mm Ripper	423023	50001207021 x 2	51011200021 x 2
Point Marathon 25mm stiff pins	423023	50001007021 x 2, 442571 x 2	51011000021 x 2,
Point RexiusTwin	457243	404827 x 2	413722 x 2
Wear plate marker	465162	50061203521 x 2	51011200021 x 2
Point Ripper, 25st	421488-25	Includes bolt and nut	



Modular point system brings versatility

With our Point configurator, you can specialize your TopDown, Swift, Opus and Cultus to your specific conditions.



Marathon points with hard metal enforcement lasts up to 10 times longer.

SW=Swift, TD=TopDown, OS=Opus, CS=Cultus

SW	TD, OS, CS		TD, OS, CS		TD, OS, CS	TD, OS, CS
50mm	50mm	80mm	50mm	80mm	120mm	120mm
						
	BreakMix	50/80mm	50/80mm	80mm	210mm	120mm
						
 240mm	 340mm (8°)		 340mm (23°)			


Slices off weeds.


Slices off weeds.

Slices off weeds. Mixes and raises the uppermost soil layer.

Slices up and mixes the uppermost soil layer. Good for controlling mice.

Mixes powerfully in shallow cultivation




CS	TD, OS, CS	TD, OS, CS, SW			TD, OS, CS, SW			TD, OS, CS			TD, OS, CS	TD, OS, CS				
	120mm	80mm	80/120mm	120mm	80mm	80/120mm	120mm	80mm	80/120mm	120mm	LowDisturbance	50mm	50/80mm	80mm	80/120mm	120mm
																
	80/120mm	80mm			50/80mm			BreakMix				50mm				
																
											DeepLoosening					DeepLoosening
																
er- low n.	Mixes power- fully in shallow cultivation.	Full mixing with reduced traction requirements.			Allround cultivation.			Mixes top soil and breaks up dense soil layers below.			Breaks up dense soil layers. Improves drainage.	Cultivates and mixes to depth.				
																

Article	Article number	Bolt
Cultivating discs		
Disc CrossCutter Disc D:450mm	208020	461262 x 4
Disc CrossCutter Disc Aggressive D:450mm	243333	461262 x 4
Disc CrossCutter Disc D:510mm	208022	461262 x 5
Disc CrossCutter Disc Aggressive D:510mm	231133	461262 x 5
Disc V55 D:432mm	459608	461262 x 4
Disc V55 D: 450mm	466947	461262 x 4
Disc V55 D: 470mm	179857	461262 x 4
Disc V55 D:510mm	170097	461262 x 5
Disc V55 D: 610mm	154626	461262 x 5
Disc V55 D:410mm, convex	156660	461262 x 4
Disc DO:452mm	156661	461262 x 4
Disc D:450mm	159965	461262 x 4
Disc convex D:410mm RD V55	451372	50001201621 x 5

Good to know!

When to change your discs*?



Seeding with no interference



Order new discs




Replace discs

Article	Article number	Bolt
Coulter discs		
Disc V55 D:410mm, flat	159937	461262 x 4
DISC RD 370mm s/n -702 V55	451792	50001201621 x 5
DISC 370mm RD s/n 703-1499 V55	451793	50001201621 x 5
Disc flat D:410mm RD V55	451371	50001201621 x 5
Disc D:380mm V55 Spirit	184452	175360 x 1
Disc D:410mm	180078	50001201621 x 5

Good to know!

Replace the bolts when you change the disc

The distance between the bolts and the disc has a direct impact on the result. Therefore, we recommend that you replace the bolts at the same time as you replace the discs. New bolts ensure proper fixing throughout the life span of the disc.





CrossCutter Disc

450mm



2-3cm



450mm

Light soil

Medium soil

510mm



3-5cm



510mm

Light soil

Medium soil

CrossCutter Disc Aggressive

450mm



2-3cm



450mm

Heavy soil

510mm



3-5cm



510mm

Heavy soil

D

450mm



2-3cm



450mm

Light

Medium





disc
mm

5-12cm

450mm

Light soil

Medium soil

TrueCut disc

470mm



5-13cm



470mm

Light soil

Medium soil

Heavy soil

TrueCut disc

510mm



5-13cm



510mm

Light soil

Medium soil

Heavy soil

TrueCut disc

610mm



5-13cm



610mm

Light soil

Medium soil

Heavy soil



Parts Catalogue

Väderstad Parts Catalogue provides access to detailed information about the genuine parts that make your Väderstad machine perform at its highest level.

Read more at:
partscatalogue.vaderstad.com







Väderstad Genuine Parts
Engineered for professionals

